







Your Gateway to Efficient Connectivity

Kvaser's OBD-II Extension Cable is a highly durable 5-meter extension cable with pin-to-socket connectors. The cable is made of high-quality thermoplastic rubber, ensuring excellent flexibility and resilience. All pins are connected.

Warranty

2-Year warranty. See our general conditions and policies for details.

Support

Free support for all products by contacting support@kvaser.com

[II] EAN

73-30130-00301-9



Kvaser OBD-II Extension Cable 5 m

Major Features

- Molded OBD-II (SAE J1962) pin connector, Type B (24 Volt).
- Molded OBD-II (SAE J1962) socket connector, Type B (24 Volt).
- Gold plated pins on OBD-II connectors for extra reliable contact.
- Termination is built in with a 120 Ohm terminating resistor.
- Available in other cable lengths.
- This cable can save wear and tear on your CAN interface's OBD-II connector.

| Sup | port |
|-----|------|
|-----|------|

At Kvaser, we are committed to providing exceptional support for all our accessories, including cables, SD cards, and mounting brackets. Our dedicated support team is here to assist you with any inquiries or issues you may encounter. Whether you need help with installation, troubleshooting, or compatibility questions, we are here to ensure you have a seamless experience with our products.

Contact Us:

Technical Support: For technical assistance, please reach out to our knowledgeable support team at support@kvaser.com

Documentation and Resources: Access detailed manuals, FAQs, and troubleshooting guides on our website at www.kvaser.com/support

Warranty and Repairs: For warranty information and repair services, please visit www.kvaser.com/warranty

| Technical Data | |
|--------------------------------|---|
| CAN Channels | 1 |
| Connector | OBD-II (SAE J1962) Pin OBD-II (SAE J1962) Socket |
| Length | 5000 mm |
| Material | Durable thermoplastic rubber |
| Operating Temperature Range | -30 to +85 °C |
| Regulatory Compliance | CE |
| Weight | 475 g |